STRUCTURED CABLING LEGEND

WALL MOUNT PHONE (ONE CAT 5e CABLE/JACK)

CABLING SLEEVE (1-1/4" UNLESS NOTED OTHERWISE)

TYPICAL LADDER RACK (18"x4" UNLESS NOTED OTHERWISE)

TYPICAL CABLE TRAY, BASKET STYLE (24"x4" UNLESS NOTED OTHERWISE)

TELECOMMUNICATIONS OUTLET, # = NUMBER OF CAT 6 VOICE/DATA CABLES/JACKS

TELECOMMUNICATIONS OUTLET, # = NUMBER OF CAT 6 VOICE/DATA CABLES/JACKS, SURFACE MOUNT

SYMBOL

DESCRIPTION

4-POST RACK

TECHNOLOGY - LEVEL ONE - FLOOR PLAN

SCALE: 3/16" = 1'-0"

T101 TECHNOLOGY - LEVEL ONE T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS T503 TECHNOLOGY DETAILS	T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	SHEET NUMBER	SHEET NAME
T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T102 TECHNOLOGY - FLOOR PLAN - SECURITY T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS		
T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T200 TECHNOLOGY - SITE PLAN T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T101	
T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T201 TECHNOLOGY - DEMOLITION T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T102	TECHNOLOGY - FLOOR PLAN - SECURITY
T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T202 TECHNOLOGY - STEAM TUNNELS - EAST T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	Γ200	TECHNOLOGY - SITE PLAN
T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T203 TECHNOLOGY - STEAM TUNNEL T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	Γ201	TECHNOLOGY - DEMOLITION
T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	TECHNOLOGY DETAILS TECHNOLOGY DETAILS	T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	T501 TECHNOLOGY DETAILS T502 TECHNOLOGY DETAILS	Γ202	TECHNOLOGY - STEAM TUNNELS - EAST
T502 TECHNOLOGY DETAILS	T502 TECHNOLOGY DETAILS	T502 TECHNOLOGY DETAILS	T502 TECHNOLOGY DETAILS	Г203	TECHNOLOGY - STEAM TUNNEL
				T501	TECHNOLOGY DETAILS
TECHNOLOGY DETAILS	TECHNOLOGY DETAILS	TECHNOLOGY DETAILS	TECHNOLOGY DETAILS	Г502	TECHNOLOGY DETAILS
				T503	TECHNOLOGY DETAILS

TECHNOLOGY SHEET INDEX				
EET NUMBER	SHEET NAME			
1	TECHNOLOGY - LEVEL ONE			
2	TECHNOLOGY - FLOOR PLAN - SECURITY			
)	TECHNOLOGY - SITE PLAN			
1	TECHNOLOGY - DEMOLITION			
2	TECHNOLOGY - STEAM TUNNELS - EAST			
3	TECHNOLOGY - STEAM TUNNEL			
1	TECHNOLOGY DETAILS			
2	TECHNOLOGY DETAILS			
3	TECHNOLOGY DETAILS			

**TECHNOLOGY - KEYNOTES** 

CONTRACTOR SHALL RELOCATE, RECONNECT, CONFIGURE, AND VERIFY

OPERATION OF EXISTING PA SYSTEM FROM BUILDING 108 (ELECTRONICS, WIRING

PLAN WITH PRÉCONSTRUCTION SUBMITTALS. CONTRACTOR SHALL COORDINATE WITH OWNER FOR ANY NECESSARY SERVICE OUTAGES, WHICH SHALL BE

AND CABINETS) AT THIS LOCATION. CONTRACTOR SHALL SUBMIT CUT-OVER

MINIMIZED DUE TO LIFE SAFETY CONCERNS. CONTRACTOR SHALL VERIFY

SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE SYSTEM DURING

CONDITION OF EQUIPMENT PRIOR TO SUBMITTING A BID, SHALL DOCUMENT

OPERATION AND CONDITION OF THE EQUIPMENT BEFORE RELOCATION, AND

TECHNOLOGY SHEET INDEX				
UMBER	SHEET NAME			
	TECHNOLOGY - LEVEL ONE			
	TECHNOLOGY - FLOOR PLAN - SECURITY			
	TECHNOLOGY - SITE PLAN			
	TECHNOLOGY - DEMOLITION			
	TECHNOLOGY - STEAM TUNNELS - EAST			
	TECHNOLOGY - STEAM TUNNEL			
	TECHNOLOGY DETAILS			

TECHNOLOGY - C	SENERAL I	NOTES
ALL CABLES SHALL BE CONCEALED.		


2. ALL CONDUIT MEASUREMENTS REFER TO STANDARD CONDUIT TRADE SIZES.

3. NOT ALL KEYNOTES MAY BE UTILIZED ON EVERY SHEET.

- IT IS THE INTENT THAT EACH CONTRACTOR INCLUDE ALL REQUIRED MATERIALS FOR A NEATLY DRESSED CABLING PATHWAY SYSTEM AS INDICATED ON THESE DRAWINGS AND SPECIFICATIONS. ALL REQUIRED MATERIALS SHALL BE INCLUDED
- EACH CONTRACTOR SHALL PROVIDE AND INSTALL ALL NECESSARY SLEEVES, WHETHER OR NOT SPECIFICALLY NOTED ON PROJECT DRAWINGS. ALL SLEEVES SHALL BE 1-1/4" UNLESS NOTED OTHERWISE ON THE DRAWINGS. CABLE FILL PERCENTAGE SHALL COMPLY WITH NEC.
- EACH CONTRACTOR SHALL MAKE NECESSARY ADJUSTMENTS IN J-HOOK SUPPORT PATHS TO AVOID CONFLICTS WITH HVAC AND ELECTRICAL DEVICES/EQUIPMENT AND WORK OF OTHER TRADES.
- EVERYTHING SHOWN ON THE DRAWINGS SHALL BE PROVIDED AND INSTALLED BY THE APPROPRIATE CONTRACTOR UNLESS NOTED OTHERWISE. ALL CONDUIT, BACKBOXES, JUNCTION BOXES, FLOOR BOXES AND IN-WALL BOXES SHALL BE PROVIDED BY ELECTRICAL CONTRACTOR (EC) UNLESS NOTED OTHERWISE.
- 8. DIV. 26 EC SHALL PROVIDE ALL CONDUIT, BACK BOXES, JUNCTION BOXES AND CUSTOM BOXES AS NOTED ON INFRASTRUCTURE DETAILS SHEET.
- AT EACH DOOR WITH CARD READER, THE PREMISE SECURITY CONTRACTOR (PSC) SHALL PROVIDE AND INSTALL A DPDT DOOR POSITION SWITCH (CONNECTED TO BOTH THE ACCESS CONTROL SYSTEM AND THE INTRUSION DETECTION SYSTEM), CARD READERS, AND PROVIDE AND INSTALL ALL NECESSARY LOW-VOLTAGE WIRING FROM ELECTRONIC LOCKING HARDWARE (ELECTRIC STRIKE, POWERED CRASHBAR OR ELECTRIC TRIM/HINGE) TO POWER SUPPLIES. OTHERS WILL PROVIDE LOCKING HARDWARE.
- 10. DOOR DETAIL INDICATES DOOR HANDLE OR CRASHBAR ON SECURED SIDE OF DOOR FOR REFERENCE ONLY. REFER TO DIVISION 8 DOOR HARDWARE DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL INFORMATION.
- LOCK POWER WILL VARY DEPENDING ON LOCK TYPE AND DOOR HARDWARE. REFER TO DIVISION 8 DOOR HARDWARE SCHEDULES FOR POWER REQUIREMENTS. CONTRACTOR SHALL CROSS REFERENCE WITH OFFICIAL DOOR HARDWARE SCHEDULE/SPECIFICATIONS TO CONFIRM FINAL REQUIREMENTS.
- 12. CONTRACTOR SHALL COORDINATE WORK WITH OTHER TRADES AND CENTURY LINK.

APPROXIMATELY ( T502 ) (TYP) 6' - 0" 18"x4" BASKET TRAY (TYP) 1/2" THREADED ROD AND UNISTRUT (TYP), REFERENCE DETAIL 6/T501 24"x4" BASKET TRAY (TYP) PROPOSED HOLE IN FLOOR FOR CABLE PATHWAY FROM BASEMENT

DATA CENTER - CABLE TRAY LAYOUT SCALE: 1/4" = 1'-0"




MECHANICAL\_ CABLE COIL FOR FIRE ALARM SYSTEM EXISTING 24"x4" CABLE TRAY

TECHNOLOGY - BASEMENT - FLOOR PLAN SCALE: 3/16" = 1'-0"

## **CONSTRUCTION DOCUMENTS 100%**



**Alexandria** 525 Broadway Street Alexandria, MN 56308 phone 3 2 0.7 5 9.9 0 3 0 facsimile 3 2 0.7 5 9.9 0 6 2 www.jlgarchitects.com 656-14-246



TECHNOLOGY - LEVEL ONE elert & associates

140 Third Street South
Stillwater, MN 55082
651.430.2772 fax: 651.430.266
www.elert.com 551.430.2772 fax: 651.430.2661

CONSTRUCT NEW IT CENTER 04/01/2015 FOR HEALTH CARE TECHNOLOGY MANAGEMENT EXPANSION


ST. CLOUD VA HCS ST. CLOUD, MN 56303


AS NOTED

St. Cloud VA
Health Care System

Alexandria Office St. Cloud Office

120 17th Avenue W. 3339 West St. Germain, Suite 250 Alexandria, MN 56308 St. Cloud, MN 56301 (320) 217-5557






2 3 4

one eighth inch = one foot

0 4 8 16



2 3 4

